ELSEVIER

Hearing Research 178 (2003) 131

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 178

Avallone, B., see Piscopo, M. (178) 89
Avallone, B., Porritiello, M., Esposito, D., Mutone, R., Balsamo, G. and Marmo, F.
Evidence for hair cell regeneration in the crista ampullaris of the lizard *Podarcis sicula* (178) 79

Balsamo, G., see Avallone, B. (178) 79
Balsamo, G., see Piscopo, M. (178) 89
Bitter, K.S., see Koay, G. (178) 27
Burkard, R., see Guo, Y. (178) 12

Esposito, D., see Avallone, B. (178) 79

Füllgrabe, C., Meyer, B. and Lorenzi, C.
Effect of cochlear damage on the detection of complex temporal envelopes (178) 35

Glueckert, R., Wietzorrek, G., Kammen-Jolly, K., Scholtz, A., Stephan, K., Striessnig, J. and Schrott-Fischer, A.
Role of class D L-type Ca^{2+} channels for cochlear morphology (178) 95
Green, G.G.R., see Millman, R.E. (178) 1
Guo, Y. and Burkard, R.
The masking level difference in chinchilla auditory cortex. Effects of inner hair cell loss (178) 12

Heffner, H.E., see Koay, G. (178) 27
Heffner, R.S., see Koay, G. (178) 27
Henkemeyer, M., see Howard, M.A. (178) 118
Howard, M.A., Rodenas-Ruano, A., Henkemeyer, M., Martin, G.K., Lonsbury-Martin, B.L. and Liebl, D.J.
Eph receptor deficiencies lead to altered cochlear function (178) 118
Hung, C.-C., see Lin, M.-J. (178) 52

Kammen-Jolly, K., see Glueckert, R. (178) 95
Koay, G., Heffner, R.S., Bitter, K.S. and Heffner, H.E.
Hearing in American leaf-nosed bats. II: *Carollia perspicillata* (178) 27
Kondrachuk, A.V.
Qualitative model of otolith–ocular asymmetry in vertical eccentric rotation experiments (178) 59

Lee, S.-Y., see Lin, M.-J. (178) 52
Li, S.-Y., see Lin, M.-J. (178) 52
Liebl, D.J., see Howard, M.A. (178) 118
Lin, M.-J., Su, M.-C., Tan, C.-T., Su, C.-C., Li, S.-Y., Lin, R.-H., Lin-Shiau, S.-Y., Hung, C.-C. and Lee, S.-Y.
The effect of L-arginine on slow motility of mammalian outer hair cell (178) 52
Lin, R.-H., see Lin, M.-J. (178) 52
Lin-Shiau, S.-Y., see Lin, M.-J. (178) 52
Lonsbury-Martin, B.L., see Howard, M.A. (178) 118
Lorenzi, C., see Millman, R.E. (178) 1
Lorenzi, C., see Füllgrabe, C. (178) 35

Marmo, F., see Avallone, B. (178) 79
Marmo, F., see Piscopo, M. (178) 89
Martin, G.K., see Howard, M.A. (178) 118
Meyer, B., see Füllgrabe, C. (178) 35
Millman, R.E., Green, G.G.R., Lorenzi, C. and Rees, A.
Effect of a noise modulation masker on the detection of second-order amplitude modulation (178) 1
Mutone, R., see Avallone, B. (178) 79
Mutone, R., see Piscopo, M. (178) 89

Pickles, J.O.
Expression of Ephs and ephrins in developing mouse inner ear (178) 44
Piscopo, M., Balsamo, G., Mutone, R., Avallone, B. and Marmo, F.
Calbindin D28K is a component of the organic matrix of lizard *Podarcis sicula* otoconia (178) 89
Porritiello, M., see Avallone, B. (178) 79
Pourbakht, A. and Yamasoba, T.
Cochlear damage caused by continuous and intermittent noise exposure (178) 70

Rees, A., see Millman, R.E. (178) 1
Rodenas-Ruano, A., see Howard, M.A. (178) 118

Scholtz, A., see Glueckert, R. (178) 95
Schrott-Fischer, A., see Glueckert, R. (178) 95
Shaffer, L.A., see Withnell, R.H. (178) 106
Stephan, K., see Glueckert, R. (178) 95
Striessnig, J., see Glueckert, R. (178) 95
Su, C.-C., see Lin, M.-J. (178) 52
Su, M.-C., see Lin, M.-J. (178) 52

Talmadge, C.L., see Withnell, R.H. (178) 106
Tan, C.-T., see Lin, M.-J. (178) 52

Wietzorrek, G., see Glueckert, R. (178) 95
Withnell, R.H., Shaffer, L.A. and Talmadge, C.L.
Generation of DPOAEs in the guinea pig (178) 106

Yamasoba, T., see Pourbakht, A. (178) 70

doi:10.1016/S0378-5955(03)00089-3

ELSEVIER

Hearing Research 178 (2003) 133–134

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 178

α1D calcium channel
Inner ear; Voltage-gated ion channel; Degeneration; Knockout mouse; Electron microscopy (Glueckert, R. (178) 95)

Amplitude modulation
Human psychophysics; Modulation masking; Psychoacoustics; Temporal processing (Millman, R.E. (178) 1)

Audiogram
Chiroptera; Echolocation; Evolution; Mammal; Evoked potential (Koay, G. (178) 27)

Auditory cortex
Carboplatin; Inner hair cell loss; Masking level difference; Chinchilla (Guo, Y. (178) 12)

Bromodeoxyuridine
Regeneration; Lizard; Crista ampullaris; Gentamicin (Avallone, B. (178) 79)

Calbindin D28K
Podarcis sicula; Otoconia; Inner ear (Piscopo, M. (178) 89)

Calcium
Outer hair cell; Motility; L-Arginine; Nitric oxide (Lin, M.-J. (178) 52)

Carboplatin
Inner hair cell loss; Masking level difference; Auditory cortex; Chinchilla (Guo, Y. (178) 12)

Chinchilla
Carboplatin; Inner hair cell loss; Masking level difference; Auditory cortex (Guo, Y. (178) 12)

Chiroptera
Audiogram; Echolocation; Evolution; Mammal; Evoked potential (Koay, G. (178) 27)

Cochlea
Eph; Ephrin; Mouse; Inner ear; Vestibular system; Utricle; Saccule; Development (Pickles, J.O. (178) 44)

Hair cell; Noise-induced hearing loss (Pourbakht, A. (178) 70)

Eph receptor; Ephrin; Knockout mice; Distortion-product otoacoustic emission (Howard, M.A. (178) 118)

Cochlear compression
Temporal envelope; Second-order amplitude modulation; Sensorineural hearing loss; Non-linearity (Füllgrabe, C. (178) 35)

Crista ampullaris
Regeneration; Lizard; Bromodeoxyuridine; Gentamicin (Avallone, B. (178) 79)

Degeneration
Inner ear; Voltage-gated ion channel; α1D calcium channel; Knockout mouse; Electron microscopy (Glueckert, R. (178) 95)

Development
Eph; Ephrin; Mouse; Inner ear; Cochlea; Vestibular system; Utricle; Saccule (Pickles, J.O. (178) 44)

Distortion-product otoacoustic emission
Eph receptor; Ephrin; Cochlea; Knockout mice (Howard, M.A. (178) 118)

Eccentric rotation
Otolith asymmetry; Eye counter-rotation (Kondrachuk, A.V. (178) 59)

Echolocation
Audiogram; Chiroptera; Evolution; Mammal; Evoked potential (Koay, G. (178) 27)

Electron microscopy
Inner ear; Voltage-gated ion channel; α1D calcium channel; Degeneration; Knockout mouse (Glueckert, R. (178) 95)

Eph
Ephrin; Mouse; Inner ear; Cochlea; Vestibular system; Utricle; Saccule; Development (Pickles, J.O. (178) 44)

Eph receptor
Ephrin; Cochlea; Knockout mice; Distortion-product otoacoustic emission (Howard, M.A. (178) 118)

Ephrin
Eph; Mouse; Inner ear; Cochlea; Vestibular system; Utricle; Saccule; Development (Pickles, J.O. (178) 44)

Eph receptor; Cochlea; Knockout mice; Distortion-product otoacoustic emission (Howard, M.A. (178) 118)

Evoked potential
Audiogram; Chiroptera; Echolocation; Evolution; Mammal (Koay, G. (178) 27)

Evolution
Audiogram; Chiroptera; Echolocation; Mammal; Evoked potential (Koay, G. (178) 27)

doi:10.1016/S0378-5955(03)00090-X

Eye counter-rotation
Otolith asymmetry; Eccentric rotation (Kondrachuk, A.V. (178) 59)

Gentamicin
Regeneration; Lizard; Crista ampullaris; Bromodeoxyuridine (Avallone, B. (178) 79)

Hair cell
Cochlea; Noise-induced hearing loss (Pourbakht, A. (178) 70)

Human psychophysics
Amplitude modulation; Modulation masking; Psychoacoustics; Temporal processing (Millman, R.E. (178) 1)

Inner ear
Eph; Ephrin; Mouse; Cochlea; Vestibular system; Utricle; Saccule; Development (Pickles, J.O. (178) 44)

Calbindin D28K; *Podarcis sicula*; Otoconia (Piscopo, M. (178) 89)

Voltage-gated ion channel; α1D calcium channel; Degeneration; Knockout mouse; Electron microscopy (Glueckert, R. (178) 95)

Inner hair cell loss
Carboplatin; Masking level difference; Auditory cortex; Chinchilla (Guo, Y. (178) 12)

Knockout mice
Eph receptor; Ephrin; Cochlea; Distortion-product otoacoustic emission (Howard, M.A. (178) 118)

Knockout mouse
Inner ear; Voltage-gated ion channel; α1D calcium channel; Degeneration; Electron microscopy (Glueckert, R. (178) 95)

L-Arginine
Outer hair cell; Motility; Nitric oxide; Calcium (Lin, M.-J. (178) 52)

Lizard
Regeneration; Crista ampullaris; Bromodeoxyuridine; Gentamicin (Avallone, B. (178) 79)

Mammal
Audiogram; Chiroptera; Echolocation; Evolution; Evoked potential (Koay, G. (178) 27)

Masking level difference
Carboplatin; Inner hair cell loss; Auditory cortex; Chinchilla (Guo, Y. (178) 12)

Modulation masking
Amplitude modulation; Human psychophysics; Psychoacoustics; Temporal processing (Millman, R.E. (178) 1)

Motility
Outer hair cell; L-Arginine; Nitric oxide; Calcium (Lin, M.-J. (178) 52)

Mouse
Eph; Ephrin; Inner ear; Cochlea; Vestibular system; Utricle; Saccule; Development (Pickles, J.O. (178) 44)

Nitric oxide
Outer hair cell; Motility; L-Arginine; Calcium (Lin, M.-J. (178) 52)

Noise-induced hearing loss
Cochlea; Hair cell (Pourbakht, A. (178) 70)

Non-linearity
Temporal envelope; Second-order amplitude modulation; Sensorineural hearing loss; Cochlear compression (Füllgrabe, C. (178) 35)

Otoconia
Calbindin D28K; *Podarcis sicula*; Inner ear (Piscopo, M. (178) 89)

Otolith asymmetry
Eccentric rotation; Eye counter-rotation (Kondrachuk, A.V. (178) 59)

Outer hair cell
Motility; L-Arginine; Nitric oxide; Calcium (Lin, M.-J. (178) 52)

Podarcis sicula
Calbindin D28K; Otoconia; Inner ear (Piscopo, M. (178) 89)

Psychoacoustics
Amplitude modulation; Human psychophysics; Modulation masking; Temporal processing (Millman, R.E. (178) 1)

Regeneration
Lizard; Crista ampullaris; Bromodeoxyuridine; Gentamicin (Avallone, B. (178) 79)

Saccule
Eph; Ephrin; Mouse; Inner ear; Cochlea; Vestibular system; Utricle; Development (Pickles, J.O. (178) 44)

Second-order amplitude modulation
Temporal envelope; Sensorineural hearing loss; Cochlear compression; Non-linearity (Füllgrabe, C. (178) 35)

Sensorineural hearing loss
Temporal envelope; Second-order amplitude modulation; Cochlear compression; Non-linearity (Füllgrabe, C. (178) 35)

Temporal envelope
Second-order amplitude modulation; Sensorineural hearing loss; Cochlear compression; Non-linearity (Füllgrabe, C. (178) 35)

Temporal processing
Amplitude modulation; Human psychophysics; Modulation masking; Psychoacoustics (Millman, R.E. (178) 1)

Utricle
Eph; Ephrin; Mouse; Inner ear; Cochlea; Vestibular system; Saccule; Development (Pickles, J.O. (178) 44)

Vestibular system
Eph; Ephrin; Mouse; Inner ear; Cochlea; Utricle; Saccule; Development (Pickles, J.O. (178) 44)

Voltage-gated ion channel
Inner ear; α1D calcium channel; Degeneration; Knockout mouse; Electron microscopy (Glueckert, R. (178) 95)